

Terms for Flora
(Eilers, 1936: pp. 43-45)

Plant/vegetable/weed	hohdät Ham.
Small plant	batsitsik i teberika; tirigät Ham. ; waw'ree
Shrub	pipi iar Ham.
Tree	teberika; täräpä Ham. ; tummutch'ee P.
Tree trunk	tabur'rah eek'ah; tamatsi P., Ha.
Leaf	ön, ün, ün Ham.
Sprout	sieboro
Bough	gar, har Ham.
Bark	kien, hin Ham.
Root	uähah, uahägär Ham.
Thorn	kangitsir
Seed	bekien
Resin	bün
Calophyllum Resin*	büni safän
Shell, husk (coconuts)	peiän, psiiän Ham.
Blossom, flower	töroro
Fruit	üär
Rotten wood	igai
Grassy area under palm	nimeretäk; üöre = Grass Ha
Forest	fariuorüor
Taro field	banuöt
Palm	ün e pän Ham.
Cycas [?]	lui drigets Ham.
Nipa palm	nipa gär Ham.
Coconut palm	rög, düy Ham.
Palm sap	äti, äsi He. ; sap = ito He
Breadfruit	bukeriäu, mai E. K. ; uäl Ham.
Terminalia [?]	geisäs
Fruit	kiri
Thespesia [?]	kirifoi, silivo
Sago palm	perem Ham.
Ficus	kirio
Eugenia (Malay apple)	fariep, rebotel
Fagraea	güg
Wedelia	ietiel
Kasuarine	döu
Pandanus	vats, uits, Ham. ; bogu (broadleafed, fruit eaten raw); man E.K. (especially suited for mat weaving)
Cerbera, poisonous	moa
Pipturus	iegoma
Derris, climber	uorimag
Scaevola	not
Hernandia	gotsar
Trionfettia	gagagag (sap used as makeup)
Banana	uits
Hibiscus	girifag E.K.
Taro	uot, uod E.K., Ham. ; molok Ham.
Wild taro	pula, burago (only present in one type)
Types of taro	morig, ba (wild taro with stalk), bamogu, uota gangagan, uet enen, gugug, uote rimagau, tauakiat, uota ngingaginga, anori, iaigimog, tokomei, bagueri, diuaigan, bagagan
Sweet potato	tomuto, mongaueri E.K.
Tacca	möyemoy
Crinum	kiop
Grass	lätir, uati, vateri E. K. , fätig Ham.
Pteris, fallow fern	kamägag, amahah, dzidzi E. K.
Moss	rum

Bamboo	baubou; sheeb P.; tsil Ha.
--------	----------------------------

* The resin of the breadfruit tree is useless and unimportant; the resin of the calophyllum tree is treasured for use in boat construction.

